

Enviro Gas Fireplace Inserts



Gas Fireplace Inserts by



Peak Per


For a lifetime ...

Since 1989, Enviro has been a leader in its field - producing high quality gas, wood, and pellet heaters.

Every Enviro Fireplace is made with the finest material - from stainless steel to cast iron.

Enviro has almost 20 years experience in building high-end heating products which are sold throughout the world.

Our commitment to you is to continue with these high standards and we are confident that you will enjoy your Enviro Insert for many years to come.



formance



Enviro Gas Fireplace Inserts



The Sonnet

Small Gas Fireplace Insert

The Sonnet is the only full-featured gas fireplace insert on the market today.

Enviro Comfort System

Manual Mode -

Set your desired flame height and let the Sonnet quickly warm your room.

Programmable Remote -

Set the time and temperature to turn your fireplace on or off.

Modulating Flame -

The remote "talks" to the Sonnet and as the heat approaches the set temperature, the Sonnet will start to modulate the output up or down by changing the flame height. This will reduce the amount of gas required to keep your room warm.

Learning Remote -

As the remote continually communicates with the Sonnet, its integrated microcomputer allows it to anticipate the heating needs of the room. Over time, the remote will "learn" to react to changes in your room temperature, creating a comfortable, cozy and warm environment.



Double Sided Brick Liner
(Banker's Brown and Red Brick)



Manual Controls



Standard Remote Control
Programmable Thermostat

THE ENVIRO SONNET

Sonnet Models:

Sonnet and Sonnet WF (with fan and brick liner)

Sonnet Options:

Choice of 2 decorative surround panels - Classic or Colonial

3-sided - 20 13/16" high x 31 1/4" wide

4-sided - 24 9/16" high x 31 1/4" wide

Adjustable Surround 21 3/4" to 26 5/16" high 31 7/8" to 40 3/4" wide

Trimmable Surround 3-Sided 27 3/4" high x 41 3/4" wide
 (cannot be combined with other panels)
 4-Sided 46" high x 46" wide
 (must be combined with 4-Sided
 Colonial and Classic surround panels)

Cast iron fire grate, Double-sided ceramic brick liner,
 Base Shelf and Riser

Exclusive Features:

Large viewing area - 12 3/16" x 20 3/8"

No louvers

Double-sided ceramic brick liner (standard on WF model)

Automatic modulating flame for constant comfort

75% turn down

Learning programmable thermostat remote control

4-piece hand-painted log set

Deep-fin cast iron heat exchanger

Direct vent or B vent convertible

Natural gas with LP conversion kit

3" and 2" DV flue or 3" & 3" flue


Energy Saving Feature:

Pilot Off Feature - When you run your Sonnet in manual mode, you can easily use your remote control to turn your pilot on and off.

This feature will give you large savings on your gas bill.



4-sided Colonial Surround



3-sided Classic Surround with Base Shelf, 2 Risers and Brick Liner



3-sided Classic Surround with Adjustable Surround, Base Shelf and Riser




3-sided Colonial Surround with Base Shelf, Brick Liner and Cast Iron Fire Grate



4-sided Classic Surround and 4-sided Trimmable Surround



Suitable for installation into Wood Zero Clearance Fireplaces



Cast Iron Fire Grate



Cast Iron Heat Exchanger

Picture on opposite page shows the Sonnet with Colonial Surround Panel, Adjustable Surround, Base Shelf, Riser and Cast Iron Grate.





The Focus

Medium Gas Fireplace Insert

Versatility, craftsmanship and style combine to make the perfect fireplace insert.

Performance

This 19 1/2" high unit is able to fit into most fireplace openings. At 30,000 BTU's with a 50% turn-down valve the Focus delivers a lot of controllable heat. The standard 130 cfm fan helps to move this heat further around your home. This insert is direct vent but can be converted to a B vent which allows it to fit into a wider variety of install situations.


Design

Choose from several different finishes - Antique Copper, Pewter, Nickel and Gold, or 4 different porcelain enamel colors. Some of our many design styles include louvers, opening doors and the traditional cast iron bay front. This versatile unit will add to the style you have picked for your home. The beautiful flame is delivered by our "Enviro EmberGlo" burner, while the 2-piece "Banker's Brown" brick liner and 5-piece log set complete this uniquely versatile fireplace insert.

Porcelain colors available on the Focus Cast Iron Faces

-  Antique White
-  Inferno Red
-  Diamond Black
-  Antique Chestnut

(Some colors may require more lead time than others.)



Cast Iron Surround Detail (in Antique Chestnut)

THE ENVIRO FOCUS

Focus Face Options:

Louvers - for use with Arched Unit Panel, Standard or O/S Surround Panel

Bay Face - Gold, Nickel or Painted cover.

Cast Iron Bay Face - 4 porcelain colors or Flat Black.

Cottage Face - Antique Copper, Pewter, Gold or Painted trims.

Cape Cod Face - Painted 26 1/2" (at top of arch) x 33 3/4"

Focus Panel Options:

Standard surround - with black trim - 27 7/8" x 42 1/4"

Oversized surround - with black trim - 33" x 46"

Cast Iron surround - 27" x 44 1/2" (Extension pieces top or bottom - 46 1/2" x 2" x 3").

Arched Unit Panel - with Keystone (26 3/4" x 39 1/2")
for use only with louver set (cannot combine with
Cape Cod Doors)

Programmable Thermostat Remote Control System (Optional on the Focus and Sienna)

*This system provides remote programmable thermostat operation of your
Sienna or Focus Insert*

- on/off operation of the main burner
- provides thermostatic control
- Smart Thermostat adjusts the flame height in accordance to the difference between the set point temperature and the actual room temperatures. As the room temperature gets closer to the set point, the Smart Function will modulate the flame down.

The fan electrical box provides you with an extra 110V outlet and gives you the ability to:

- turn the fan on and off
- control the fan speed
- turn an auxilliary outlet (for a light, TV, etc.) on and off by remote!

Please see instructions for installation locations and restrictions.



Standard Surround with Louvers



Cottage Face with Antique Copper Trim
(This combination also available on the Sienna)



Bay Front with Gold Cover and Standard Surround



Cast Iron Surround in Antique Chestnut



Arched Unit Panel with Louvers and Keystone
(This combination also available on the Sienna)



Cape Cod Face with Opening Doors and Standard Surround

Picture on opposite page shows the Focus with Cottage Face (Antique Copper Trim)
and Standard Surround





The Sienna

Large Gas Fireplace Insert

Many faces and surrounds allow you to build your insert and match your home's decor. Simply choose one style from the many faces available or combine different faces and surrounds to build your own unique look.

The Sienna -

Performance

At 41,000 BTU's, the Sienna is a powerful and efficient heater. It has the best heat exchanger available on any insert to take advantage of all this energy. The 130 cfm convection fan helps to move the heat further into your home. We have given the Sienna a 50% turn-down ability to control the heat.

Design

The 5-piece log set and 4-piece "Banker's Brown" brick liner help to frame this beautiful fire. We added a cast iron fire grate to complete the picture. This insert is direct vent but can be converted to a B vent which allows it to fit into a wider variety of install situations.



Sienna Logs and Brick Liner



Inside of Cape Cod Door - Showing Finished Detail



Arched Unit Panel Keystone Detail

THE ENVIRO SIENNA

Sienna Face Options:

Louvers - for use with Arched Unit Panel, Filler Panel, Cape Cod doors

Cottage Face - Pewter, Antique Copper, Gold, Painted.
37 1/2" x 25 1/2" (at top of arch)

Cape Cod Face - with opening doors (33 3/4" x 25 1/8")

Steel Bay Face - Painted with optional Gold and Nickel door covers
39 7/16" x 23 13/16" x 4" deep
(cannot be combined with arched unit panel)

Sienna Panel Options:

Filler Panel - 30 3/8" X 46" (can be cut for custom fit) - black trim

Oversize Surround Panel - 33" x 46"

Arched Unit Panel - with Keystone - 27 3/4" x 39 1/2"

Installation into a Small Wood Burning Zero Clearance Fireplace.

Even though the Sienna is a large insert, it can be installed into smaller wood-burning zero clearance fireplaces by removing the base of the wood fireplace prior to installation.

This modification gives more available height for the install.

Please consult the owner's manual for specific details and restrictions.



Filler Panel with Louvers



Cottage Face with Optional Pewter Trim and Arched Panel
(This combination also available on the Focus)



Cape Cod Face with Opening Doors and Arched Panel with Keystone



Steel Bay Face with Nickel Door Cover and Filler Panel

Picture on opposite page shows the Sienna with Arched Unit Panel and Louvers



Cape Cod Face with Doors Open



Arched Unit panel with Louvers, Keystone and Filler Panel
(This combination also available on the Focus)

Energy Saving - Enviro Fireplace Inserts


Convection Heat - To heat the air in your room you need to pass cold room air through a high efficiency heat exchanger. All Enviro inserts have the largest and most efficient heat exchangers available.

Radiant Heat - The fire radiates heat through the glass to heat objects. The larger the glass, the more heat is radiated. Radiant heat is like sunshine, it is very efficient at transferring warmth to the human body. All Enviro inserts are the best at transferring radiant heat because we have the largest ceramic glass sizes.


Heat without Electricity - The design of our heat exchangers allow heated convection air to flow freely without a fan. Add this to the large amount of radiant heat coming through the glass and you have a heater that will perform better than any other - even when the power goes out!

Fireplace Insert Dimensions


The Sonnet



The Focus




The Sienna



Clearance to Combustibles

		Sonnet	Focus	Sienna
A	Center of unit to side wall	19 1/2" (495 mm)	24 7/8" (632 mm)	25 1/2" (648 mm)
B	Side of unit to 6" post	4 1/2" (114 mm)	9 5/8" (244 mm)	9 3/8" (238 mm)
C	Bottom of unit to 10" wide mantle (Focus 8" mantle)	38 1/4" (972 mm)	38" (965 mm)	43" (1092 mm)
D	Minimum to non-combustible material in front of unit	13" (330 mm)	11" (279 mm)	16" (406 mm)

Please see owner's manual for more information



Sonnet

Sonnet WF

Focus

Sienna

Features

Turn Down Valve	75%	75%	50%	50%
"Enviro EmberGlo" Burner System	-	-	✓	✓
1/5" (5mm) Ceramic Glass	✓	✓	✓	✓
High Efficiency Heat Exchanger	Cast Iron	Cast Iron	✓	✓
Ceramic Fibre Log set	4-piece	4-piece	5-piece	5-piece
Mobile Home Approved	✓	✓	✓	✓
Cast Iron Firebox Grate	optional	optional	✓	✓
Convection fan	optional	105 cfm	130 cfm	130 cfm
LP Gas Conversion Kit	✓	✓	✓	✓
Ceramic Brick Liner	optional	3-piece Banker's Brown/Red Brick	2-piece Banker's Brown	4-piece Banker's Brown
Basic On/Off Remote	n/a	n/a	optional	optional
Programmable Remote	standard	standard	optional	optional


Specifications and Dimensions†

Large Viewing Glass	248 in ²	248 in ²	389 in ² 429 in ² (Bay)	457.5 in ² 512 in ² (Bay)
BTU/H (KW/H) Input Max.	26,600 (LP-21,300)	26,600 (LP-21,300)	30,000 (LP-28,500)	41,000 (LP-41,000)
BTU/H (KW/H) Input Min.	6,500 (LP-11,400)	6,500 (LP-11,400)	15,000 (LP-14,000)	23,000 (LP-21,000)
Area heated ft ² ***	600 - 1,200	600 - 1,200	900 - 1600	1,300 - 2100
Weight in lbs.	75	75	130	150
Efficiencies (steady state)	81%	81%	81%	76%
A.F.U.E. (DV)	71%	71%	71%	66.4%
EnerGuide FE Rating (NG/DV)	61%	61%	61%	51.7%


† Dimensions and specifications in this brochure should be used as guides only. Please refer to the owner's manual before installation begins.

Minimum Fireplace Size	The Sonnet	The Focus	The Sienna
(Width x Height x Depth)	24 14" (at front) 18 1/8" (at back) x 17 3/16" x 14"	34" x 21" x 18"	35" (at front) 23 1/4" (at back) x 23" x 16 1/2"


Exclusive "Enviro EmberGlo" Burner
(Focus and Sienna)



Over many years, Enviro has developed its "Enviro EmberGlo" burner system to give your fireplace insert a radiant ember bed. The mixture of gas and air is the secret to the "Enviro EmberGlo" burner, creating the gentle meandering look of a wood fire.



EnerGuide is a Canadian Government regulated efficiency rating.



The Canadian Government's EnerGuide program awards the Enerchoice logo to the most efficient gas fireplaces and stoves.



Fireplaces are hot and can cause serious burns. When closed, these screen doors may help reduce the severity of an accidental burn. Children should always be supervised when around a hot fireplace.



Manufactured by Sherwood Industries Ltd., Victoria, BC, Canada
www.enviro.com • email: info@enviro.com • Printed in Canada May, 2009